

RCP WOUND HEALING COMPOUND

RCP WOUND HEALING COMPOUND, a specially formulated high quality petroleum jelly with **PLANT HORMONAL ADDITIVES**, is ideal dressing for treating panel and bark wounds.



RCP WOUND HEALING COMPOUND assists the healing of wounds and quickens development of new bark and is packed in 1kg plastic containers.

RECOMMENDED USAGE

Bark Wounds

Apply **RCP WOUND HEALING COMPOUND** on the freshly exposed surfaces of the wound caused by poor tapping, slashing or animals feeding on the bark.

Fire Damage

Excise all infected bark to expose the healthy tissues and apply **RCP WOUND HEALING COMPOUND**

IMPORTANT

The wound should be dry before applying the dressing to ensure adhesion.

ACTIVE INGREDIENTS

Plant Hormone 0.1%
Inert Ingredient99.9%

WARRANTY

The information herein contain is to the best of our knowledge true and accurate but any recommendations or suggestions which may be made are made without guarantee whatsoever since the conditions of use are beyond our control. We must disclaim any liability incurred in connection with use of the product.

CAUTION

- a. Harmful if swallowed.
- b. Wash thoroughly after skin contact.
- c. Keep away from foodstuffs, children and animals.
- d. Do not eat, drink or smoke while treating.

PROCEDURES FOR APPLICATION OF RCP WOUND HEALING COMPOUND FOR TREATMENT OF WOUNDS CAUSED BY BAD TAPPING

- 1) This product is most effective for application on the first two basal virgin panels in tapping (Panels BO-1 & BO-2) because of the need to ensure smooth bark renewal on these two panels which will be re-tapped (Panels B1-1 & B1-2)
- 2) The freshly created wounds on the panel just above the tapping cut i.e where due to very tapping the wood has been exposed are to be marked out.
- 3) In situations where the wounds are few (1 or 2), wound healing compound is applied liberally with the aid of a brush over the area of the wounds with some partial application over the bark surrounding the wound. The application must totally cover the wounded surfaces.
- 4) In situations where there are several wounds it is best to apply the wound healing compound liberally as a strip , 2 to 3 cm width over the area freshly tapped above the tapping cut.
- 5) It is very critical and important that the wound healing compound is applied within a few days of the wound being detected and when it is still very fresh, so that with the aid of the wound healing compound, proper callusing of the tissue surrounding the wound can take place and the callused tissues eventually covering the wounded surfaces.
- 6) In the event of rain interference within 24 hours after application of the wound healing compound it is recommended that reapplication be carried out.
- 7) The wound healing compound will not be helpful in promoting callusing if it is applied after the wounds have dried up and the tissues surrounding the wound are dead. The time of application after the wound is created is therefore very important in order as to get the best results from application of the wound healing compound.
- 8) Under normal circumstances and when the wound healing compound is applied very liberally, there is no necessity for re-application over the same wound with the exception of rain interference.

For enquiries : Contact our authorised dealers in respective countries.

Engmepho Professional Enterprise Sdn. Bhd.

14A, Jalan Pandan Indah 4/8, Pandan Indah,

55100 Kuala Lumpur, Malaysia.

Tel: 603-42948368, 603-42946368

Website : www.emp.com.my

e-mail : TWKANG@emp.com.my